



SITE HQ[®]


SMART SITE SOLUTIONS

PRODUCT CATALOGUE

TEMPORARY FENCING
PORTABLE TOILETS
CROWD CONTROL BARRIERS
WATER FILLED BARRIERS
TRAFFIC & GROUND PROTECTION
ACCESSORIES & CONSUMABLES
ACOUSTIC CURTAINS
SHADE CLOTH
STAR PICKETS
SAFETY SIGNS
SOLAR/WIRELESS SITE CAMERAS

1300 748 347
sitehq.com.au

VERSION 5 - NOVEMBER 2023



YOUR SMART SITE SOLUTIONS SHOP

Site HQ is the online, one stop shop for all your site needs. Offering a wide range of high quality products, at competitive prices, all available at the click of a button. Our easy to use website provides fast, reliable service and delivery, so you can be rest assured your work site will be safe and secure in no time at all.

Whether you work in; infrastructure, civil, industrial, commercial, residential or events our goal is to provide a service that makes your job run that little bit smoother.

Powered by **1300TempFence**, our products are backed by 25 years' experience in the industry and comply to all Australian standards for safety and compliance. With 9 branches nationwide, we have Australia covered.

Ready to place your order?

Visit **sitehq.com.au** or give us a call on **1300 748 347**, we'll be happy to help.



**HEAD
ONLINE**



**FIND GREAT
PRODUCTS**



**EXCELLENT
PRICES**



**FAST
DELIVERY**



**SUPERIOR
SERVICE**

CONTENTS

INTRODUCTION

Introducing Site HQ

2

OUR LOCATIONS

Australian locations

4

OUR PRODUCTS

TEMPORARY FENCING

Temp fence panel – 2.4m Smart	5
Temp fence panel – 2.4m Maxi	6
Clamps (Smart, Maxi)	6
Temp fence feet	6
Temp fence panel – 3.3m	7
Plastic sheet temporary fence panel	7
Edge protection panel & post	7
Pool panel, self closing gate & feet	8
Temp fence packs (bulk buy)	9
Accessories	10

PORTABLE TOILETS

Marine	12
Billabong	13
Sewer connect	13
Accessible	13
Toilet trailers	14
Portable shower (Aqua)	14
Hand wash station	14
Accessories	15

CROWD CONTROL BARRIERS

Ezi 2.2m	16
Orange 2.2m	17
Heavy duty 2.2m	17
Crowd control barrier gates	17
Accessories	18

WATER FILLED BARRIERS

Shield 1 water filled barrier	19
X-Site water filled barrier	20
X-Stream water filled barrier	20
Shield 1 end treatment	21
Fence top panels	21

TRAFFIC & GROUND PROTECTION

Traffic bollards and cones	23
Ground protection mat	24
Sticky mat	24

ACCESSORIES & CONSUMABLES

Survey pegs	25
Safety flagging/bunting	26
Barrier mesh	26
Coir logs	26
Sandbag filler	26
Hessian sandbags	26
Cone bar	26
Cable protectors	26
Lead stands	26
Lead hook	26

ACOUSTIC CURTAINS

Acoustic curtain – standard blue	27
Accessories	28

SHADE CLOTH

Shade cloth	29
Fire retardant she cloth	30
Weedmat	32
Scaffolding mesh	32
Accessories	32

STAR PICKETS

Star pickets	33
Accessories	34

SAFETY SIGNS

Safety signs (450x300mm)	35
Safety signs (600x450mm)	37
Safety signs (900x600mm)	38
Accessories	38

SOLAR/WIRELESS SITE CAMERAS

4k Turret camera	39
180° / 360° camera	40
In ground	40
Above ground	41
Accessories	41


OUR SISTER BRANDS

Learn more about our sister brands 1300TempFence, TPSCC, TPTC, 1300Hoarding

42




CONVENIENT LOCATIONS AUSTRALIA WIDE




MELBOURNE (HEAD OFFICE)

1/539 Mt Derrimut Rd,
Derrimut VIC 3026




MELBOURNE (SOUTH EAST)

235-239 Abbots Rd,
Dandenong South VIC 3175




SYDNEY

5 Denoci Cl,
Wetherill Park NSW 2164




NEWCASTLE

51 Industrial Dr,
Mayfield North NSW 2304




CANBERRA

11 Wycombe St,
Queanbeyan East NSW 2620




BRISBANE

20 Southlink St,
Parkinson QLD 4115




SUNSHINE COAST

16-24 Fred Chaplin Circuit,
Bells Creek QLD 4551



PERTH

9 Da Vinci Way,
Forrestdale WA 6112



ADELAIDE

26 Circuit Drive,
Hendon SA 5014



TEMPORARY FENCING


Site HQ, is 'Powered by 1300TempFence', Australia's preferred specialist in Temporary Fence.

With proven industry experience and the reputation for providing reliable, high quality products, Site HQ is proud to be the exclusive provider of 1300TempFence products for sale, including:

- Smart panels
- Heavy duty maxi panels
- Semi permanent fencing
- Maxi plastic sheeting
- Prestige fencing
- Pool fencing
- Acoustic curtains
- and so much more!




Scan this QR code to check out our range of temporary fencing



SMART PANEL: 2.4M WELDED MESH SPECIFICATIONS

Panel size	2400mm (W) x 2100mm (H)
Frame	32mm O.D. - 1mm pipe wall thickness
Infill mesh	2.5mm x 2.5mm, 150mm x 60mm spacings
Weight	11kg
Finish	Galvanised



MAXI PANEL: 2.4M HEAVY DUTY WELDED MESH SPECIFICATIONS

Panel size	2400mm (W) x 2100mm (H)
Frame	32mm O.D. - 2mm pipe wall thickness
Infill mesh	4mm x 4mm, 150mm x 60mm spacings
Weight	22kg
Finish	Galvanised 42 microns



CLAMP 25/25 PITCH 71MM - SMART

100mm (L) x 35mm (H) x 35mm (W).
2.5mm thickness.



CLAMP 25/25 PITCH 71MM - MAXI

100mm (L) x 35mm (H) x 35mm (W).
4mm thickness.



TEMP FENCE FEET

25mm Hole/71mm Pitch
25kg - Blow Moulded
- 1300TempFence Transverse



TEMP FENCE FEET

25mm Hole/81mm Pitch
- 32kg Concrete Filled Orange
- 1300TempFence Transverse



TEMP FENCE FEET

Orange 25mm Hole/81mm Pitch
Empty - 1300TempFence
Transverse



TEMP FENCE FEET

Metal Transverse Foot - Alternative
to concrete filled plastic feet.
Reduces tripping hazard.



MAXI PANEL: 3.3M HEAVY DUTY WELDED MESH SPECIFICATIONS

Panel size	3300mm (W) x 2100mm (H)
Frame	32mm O.D. - 2mm pipe wall thickness
Infill mesh	4mm x 4mm, 150mm x 60mm spacings
Weight	30kg
Finish	Galvanised 42 microns



MAXI PLASTIC SHEET TEMPORARY FENCE PANEL (HDPE) 2.4M X 2.1M SPECIFICATIONS

Panel size	Suits 2400mm (W) x 2100mm (H) maxi panel
Colour	White
Weight	35kg
Material	HDPE
Density	100% (full block out)



EDGE PROTECTION PANEL 2.4 X 1M SPECIFICATIONS

Weight	15.5kg
Panel width	2400mm
Panel height	1000mm
Base plate	150mm x 1500mm x 4mm thick
Bolt holes	12mm



EDGE PROTECTION PANEL POST SPECIFICATIONS

Weight	4kg
Height	1005mm
Base	152mm square x 5 fixing flange
Holes	4 x 13mm diameter holes
Finish	Galvanised hollow sections




PRESTIGE PANEL

2.4M

SPECIFICATIONS

Panel size	2250mm (W) x 2100mm (H), OR 2250mm (W) x 2400mm (H)
Frame	32mm O.D. 2mm pipe wall thickness
Infill pickets	19mm O.D. 1.2mm wall thickness
Weight	37kg
Finish	Galvanised 42 microns



ATLANTIS POOL

PANEL 2.0M

SPECIFICATIONS

Panel size	2000mm (W) x 1250mm (H)
Frame	25mm x 25mm SHS
Infill pickets	20mm O.D. 89mm spacings
Weight	18.5kg
Finish	Fully Galvanised 42 microns

Tested and certified to Australian Standard AS 4687-2022 Temporary Swimming Pool Fencing. This product restricts and limits access and should never be used as a substitute to active supervision. Supervision is vital to prevent drownings or water related injuries.



ATLANTIS POOL

SELF CLOSING GATE

SPECIFICATIONS

Panel size	1050mm (W) x 2000mm (H)
Frame	Outer 40mm x 40mm SHS Inner 25mm x 25mm SHS
Infill pickets	20mm O.D. 89mm spacings
Weight	23.5kg
Finish	Fully Galvanised 42 microns

Tested and certified to Australian Standard AS 4687-2022 Temporary Swimming Pool Fencing. This product restricts and limits access and should never be used as a substitute to active supervision. Supervision is vital to prevent drownings or water related injuries.



POOL PANEL

METAL FEET

SPECIFICATIONS

Weight	6kg
Length	750mm
Width	150mm
Holes	Can be pegged or dyna-bolted
Finish	Fully Galvanised 42 microns



25M TEMPORARY FENCE (SMART) PACK

SPECIFICATIONS

Panels	11 x SMART 2.4m x 2.1m temp fence panels
Feet	11 x Blow moulded concrete filled (25kgs)
Clamps	11 x SMART temporary fencing clamps
Extras	1 x FREE lock & chain
Coverage	Actual coverage of 26.4m



50M TEMPORARY FENCE (SMART) PACK

SPECIFICATIONS

Panels	21 x SMART 2.4m x 2.1m temp fence panels
Feet	21 x Blow moulded concrete filled (25kgs)
Clamps	21 x SMART temporary fencing clamps
Extras	1 x FREE lock & chain
Coverage	Actual coverage of 50.4m



100M TEMPORARY FENCE (SMART) PACK

SPECIFICATIONS

Panels	42 x SMART 2.4m x 2.1m temp fence panels
Feet	42 x Blow moulded concrete filled (25kgs)
Clamps	42 x SMART temporary fencing clamps
Extras	1 x FREE lock & chain
Coverage	Actual coverage of 100.8m

TEMPORARY FENCE (SMART) PACKS



PANEL SPECIFICATIONS

Panel size	2400mm (L) x 2100mm (H)
Frame	32mm O.D.
Infill mesh	150mm x 60cm spacings
Finish	Galvanised

FEATURES

- Economical
- Lightweight
- Galvanised – longer life span
- Anti-climb weld mesh – extra security
- Great for your building site or event

FEET SPECIFICATIONS

Blow moulded plastic concrete filled feet, available in hi-vis orange for safety. UV protected for long life, they will outlast plain concrete and rubber alternatives. Well weighted to maintain the stability of the fence.

FENCING ACCESSORIES



Scan this QR code to watch our temp fence accessories on YouTube



SUPPORT STAY – SMART

Providing extra bracing strength to help prevent your SMART panel temporary fence from falling over.




SUPPORT STAY – MAXI

Providing extra bracing strength to help prevent your MAXI panel temporary fence from falling over.



HOOK STAY

Used as an anchor point along the bottom of temporary fence panels, providing extra stability and strength.



MAN GATE – SMART

Pedestrian Gates provide personnel entrances and exits to your SMART panel temporary fence installations.



MAN GATE – MAXI

Pedestrian Gates provide personnel entrances and exits to your MAXI panel temporary fence installations.



GATE WHEELS

Attach to pedestrian gates or panels, allowing gates to be opened and closed more easily.



HEAVY DUTY DUAL GATE WHEELS

The gate wheel locks in securely using a nut and bolt system. With 2 x 150mm, solid filled tyres to take on the toughest site conditions.



LOCK & CHAIN

Galvanised heavy duty chain with padlock and key.



STILLAGE (2.4M SMART PANELS)

Make storage, handling, and transportation of large numbers of panels safe and efficient.



HAND RAIL – 2.4M

Reduce the potential trip hazard from fence feet protruding into pedestrian traffic areas.



HAND RAIL – 3.3M

Reduce the potential trip hazard from fence feet protruding into pedestrian traffic areas.



DOG BAR (2.1M COMPLETE SET)

Ideal for containing animals within a fenced area. Can also prevent kids/balls going under the fence.



DOG BAR (3M COMPLETE SET)

Ideal for containing animals within a fenced area. Can also prevent kids/balls going under the fence.



GATE HINGE CLAMP 25/25 PITCH 71MM

Used to allow gates and temporary fencing panels to swing freely.



CLAMP 40/25 PITCH 81MM – SPIKE POST

For use with spike post systems, attaching posts to fencing panels.



CLAMP 40/40 PITCH 80MM

Heavy duty 4mm thick steel clamp, used to join temporary fence panels together and attach support stays.



PIPE 2100MM/48MMOD/ 3MM WALL

To suit spike post semi permanent fencing system.



RAMMING POST – 2400MM

To suit semi permanent fencing system.



REO BAR 530MM X 6.5MM

We have all the accessories you need to ensure your site, event or property is safe and secure.

Scan the QR code to check out our range.





PORTABLE TOILETS & SHOWERS

Leaders in sanitation solutions

The Portable Toilet Company is proud to be Australia's preferred supplier of portable toilets for; construction sites, events and rural properties right across the country. We're also the supplier of choice for the hire & rental industries. We provide high quality, safe, comfortable, hygienic and affordable portable toilets, showers and accessories to meet the demands of all onsite employees, event attendees and general public.

We pride ourselves on building ergonomically friendly

toilets designed with the latest technology. Our products are built from premium materials, carefully designed to withstand regular movement and frequent usage. Combining strong and durable materials with sleek, modern design. Every portable toilet can be controlled completely by foot, taking sanitation to the next level with a completely touch free experience.

Site HQ, is proud to be the official distributor of The Portable Toilet Company range of portable toilets and showers.



Scan this QR code to
check out our range
of portable toilets



MARINE PORTABLE TOILET SPECIFICATIONS

Weight	128kg
Waste tank	280 litres
Fresh water tank	160 litres
Size	1100mm (L) x 1100mm (W) x 2300mm (H)
Wall colours	Blue Grey
Walls	Twin skin



BILLABONG PORTABLE TOILET SPECIFICATIONS

Weight	165kg
Waste tank	390 litres
Fresh water tank	160 litres
Size	1150mm (L) x 1150mm (W) x 2350mm (H)
Wall colours	Blue Grey
Walls	Twin skin



SEWER CONNECT SPECIFICATIONS

Weight	100kg
Waste	Mains connect (sewer)
Fresh water	Mains connect (water)
Size	1100mm (L) x 1100mm (W) x 2150mm (H)
Wall colours	Blue Grey
Walls	Twin skin



ACCESSIBLE PORTABLE TOILET SPECIFICATIONS

Weight	108kg
Waste tank	227 litres
Fresh water tank	170 litres
Size	1570mm (L) x 1570mm (W) x 2310mm (H)
Skid base	Galvanised steel

Please note:
Toilets are for display
purposes only. Toilets
are sold separately.



SINGLE PORTABLE TOILET TRAILER

Our single mount system is ideal for transporting your toilet with ease. Designed to sit lower in the frame ensuring a lower centre of gravity with less wind resistance while in motion.

KEY FEATURES

Robust handrails & sturdy platform, fold down low level step, LED tail lights, jockey wheel, rear stabilisers, spare tyre, secure handbrake and more!

SPECIFICATIONS

Size	2756mm (L) x 1445mm (W)
------	-------------------------

Please note:
Toilets are for display
purposes only. Toilets
are sold separately.



DOUBLE PORTABLE TOILET TRAILER

Our double mount system is ideal for transporting two toilets with ease. Designed to sit lower in the frame ensuring a lower centre of gravity with less wind resistance while in motion.

KEY FEATURES

Robust handrails & sturdy platform, fold down low level step, LED tail lights, jockey wheel, rear stabilisers, spare tyre, secure handbrake and more!

SPECIFICATIONS

Size	4900mm (L) x 1445mm (W)
------	-------------------------



AQUA PORTABLE SHOWER SPECIFICATIONS

Weight	160kg
Size	1100mm (L) x 1100mm (W) x 2300mm (H)
Skid base	Galvanised steel
Wall colours	● Blue ● Grey
Special features	Shower curtain, floor drain & shelf
Walls	Twin skin
Optional Extras	Gas hot water unit option available



HAND WASH STATION

SPECIFICATIONS

Weight	30kg
Waste tank	65 litres
Fresh water tank	65 litres
Size	467mm (L) x 420mm (W) x 1339mm (H)
Colour	Blue

PORTABLE TOILET ACCESSORIES



Scan this QR code to watch our guide to portable toilets on YouTube



REAR EVAC VALVE – MARINE

Empty toilet waste tank without using a pump or sucker truck.



REAR EVAC VALVE – BILLABONG

Empty toilet waste tank without using a pump or sucker truck.



TOILET LED LIGHT

Solar powered, motion sensor activated, LED portable toilet light. Also compatible with the Aqua shower.



TOILET CHEMICAL

Walex Porta-Pak toilet chemicals (bag of 50).



TOILET DEODERISOR DISCS

Exodor (bag of 100).



TOILET PAPER – 48 ROLLS

3 ply double length toilet paper rolls made from 100% recycled fibres.



TOILET PAPER – 24 ROLLS

3 ply double length toilet paper rolls made from 100% recycled fibres.



SOAP DISPENSER 500ML

Refillable see-through dispenser for soap/detergent/hand sanitiser.



HOT WATER SYSTEMS FOR PORTABLE SHOWERS

Provides hot water for your portable shower up to 50°. Optional mounting bracket available.




CROWD CONTROL BARRIERS

Crowd Control Barriers are a must for creating a safe and secure environment. Whether you are running a construction site or event, crowd control barriers are vital for maintaining safe crowd flow and keeping people away from potential hazards.



Scan this QR code to check out our range of crowd control barriers



EZI 2.2M FLAT FOOT CROWD CONTROL BARRIER

SPECIFICATIONS


Weight	14kg
Length	2200mm
Height	1100mm
Frame	25mm O.D.
Infill pickets	20mm O.D. 200mm spacings



ORANGE 2.2M FLAT FOOT CROWD CONTROL BARRIER

SPECIFICATIONS

Weight	14kg
Length	2200mm
Height	1100mm
Frame	25mm O.D.
Infill pickets	20mm O.D. 200mm spacings



HEAVY DUTY 2.2M FLAT FOOT CROWD CONTROL BARRIER

SPECIFICATIONS


Weight	18.5kg
Length	2200mm
Height	1100mm
Frame	25mm O.D.
Infill pickets	20mm O.D. 200mm spacings



CROWD CONTROL BARRIER GATE GALVANIZED INCLUDING GATE SPRING AND 2 FEET

SPECIFICATIONS

Weight	20kg
Barrier	2200mm (W) x 1100mm (H)
Gate	760mm (W) x 950mm (H)
Arch	900mm (W) x 2100mm (H)
Finish	Galvanised



CROWD CONTROL BARRIER GATE ORANGE INCLUDING GATE SPRING AND 2 FEET

SPECIFICATIONS

Weight	20kg
Barrier	2200mm (W) x 1100mm (H)
Gate	760mm (W) x 950mm (H)
Arch	900mm (W) x 2100mm (H)
Finish	Orange

CROWD CONTROL BARRIER ACCESSORIES



**CROWD CONTROL
BARRIER METAL
FEET – EZI**



**CROWD CONTROL
BARRIER METAL FEET
– ORANGE**



**CROWD CONTROL
BARRIER METAL
FEET – HD**



**PTO LOCK PIN FOR
CROWD CONTROL
BARRIERS**

WANT TO PROMOTE YOUR NEXT EVENT OR BRAND YOUR SITE?

Ask about our custom printed crowd control barrier banners and slips. Powered by over 25 years experience our team of designers will help to create effective prints that are sure to turn heads.

- CORFLUTE
- VINYL BANNERS
- MESH BANNERS
- MESH SLIPS

tpsc

1300 742 332 | TPSCC.COM.AU





WATER FILLED BARRIERS

Site HQ's Water filled barriers are a great safety barrier solution. Our high strength **Shield 1** can help stop, contain and re-direct an impacting vehicle making it an ideal choice for road closures, crash protection, traffic management and use on work sites. Our heavy duty **X-Site** is ideal as a medium zone barrier perfect for pedestrian delineation, While our lightweight **X-Stream** can be filled to 25% capacity, making it a great low cost option, ideal

if you're looking for a sturdier option than your average crowd control barrier.

Each of our versatile barriers are easy to install with simple interlocking systems, easy to manoeuvre, highly visible, sturdy and durable.

We also offer a range of fitted anti gawk screens and fence tops for added privacy.



Scan this QR code to check out our range of water filled barriers and accessories



SHIELD 1

WATER FILLED BARRIER

SPECIFICATIONS

Weight	81kg (empty) / 611kg (filled)
Length	2200mm
Height	920mm
Width	600mm
Capacity	530 litres



X-SITE

WATER FILLED BARRIER

SPECIFICATIONS

Weight	31kg (empty) / 360kg (filled)
Length	2200mm
Height	990mm
Width	600mm
Capacity	320 litres



X-STREAM

WATER FILLED BARRIER

SPECIFICATIONS

Weight	20kg (empty)
Weight	205kg (filled)
Length	2000mm
Height	900mm
Width	500mm



SHIELD 1 CRASH RATED WATER FILLED BARRIER

END TREATMENT

SPECIFICATIONS

Weight	81kg
Length	2200mm
Height	920mm
Width	600mm


MASH TESTING



Watch how our Shield 1 water filled barriers stand up to rigorous MASH testing. MASH testing is Australia's preferred testing method for road safety barriers by the Austroads Safety Barrier Assessment Panel.


MASH TL-1 RATING

- 2,270kg at 50km/h and 25° accepted dynamic deflection 2.2m
- Road authority approved
- Impact speed rating TL-1, 50km/h
- Minimum length of need 44m




Scan this QR code to watch on YouTube

WATER FILLED BARRIER ACCESSORIES & ADD ONS




SHIELD 1
FENCE TOP PANEL
SPECIFICATIONS

Weight	17kg
Width	1865mm
Height	1200mm
Frame	25mm x 25mm
Infill mesh	4mm x 4mm, 50mm x 50mm spacings



X-SITE
FENCE TOP PANEL
SPECIFICATIONS

Weight	25kg
Width	1975mm
Height	1025mm
Frame	32mm O.D.
Infill mesh	4mm x 4mm, 141mm x 60mm spacings




KI-1000

FENCE TOP PANEL

SPECIFICATIONS

Weight	25kg
Width	1975mm
Height	1025mm
Frame	32mm O.D.
Infill mesh	4mm x 4mm, 141mm x 60mm spacings



ARMOURZONE

FENCE TOP PANEL

SPECIFICATIONS

Weight	17kg
Width	1965mm
Height	1200mm
Frame	25mm x 25mm
Infill mesh	4mm x 4mm, 50mm x 50mm spacings



**CONNECTOR PINS –
WATER FILLED BARRIER
SHIELD 1**



**REPLACEMENT BUNG FOR
WATER FILLED BARRIERS
SHIELD 1, KI1000 & X-SITE**



13H FLASHING LIGHT
Barricade warning light
(Requires 2 x 6 volt batteries
- not included).

NEED TO PROMOTE
YOUR EVENT OR SITE?
ASK ABOUT OUR CUSTOM
PRINTED FENCE TOP BANNERS,
SIGNS AND SLIPS.

tpsc

1300 742 332 | TPSCC.COM.AU






TRAFFIC AND GROUND PROTECTION

Site HQ offers a wide range of products that aid traffic management and work site safety.

We also offer ground protection solutions to prevent vehicles getting stuck in soft ground.



Scan this QR code to check out
our range of traffic & ground
protection products

TRAFFIC PRODUCTS



TRAFFIC BOLLARDS 100X1150MM

Safely mark out hazards and directing pedestrian and vehicle traffic.



TRAFFIC BOLLARD BASE 420X420MM 6KG

Made from highly durable polyethylene rubber.



TRAFFIC CONE PVC 700MM

Suitable for marking out hazards on the road, public area or work site.



CONE BAR

Our black and yellow Cone Bar works with traffic cones to create a temporary barrier and visual delineation.

GROUND & FLOOR PROTECTION



GROUND PROTECTION MAT 2400MM X 1200MM

Weight: 36kg, thickness: 12mm, materials: HDPE.



GROUND PROTECTION MAT CONNECTOR - 2-WAY

Used to hold 2 mats together at the corner holes.



GROUND PROTECTION MAT CONNECTOR - 4-WAY

Used to hold 4 mats together at the corner holes.



STICKY MAT 30 LAYERS BLUE

Reduce the grime and dirt that is tracked in on shoes. 30 sheet pack.



CONSUMABLES AND ACCESSORIES

We have all the accessories you need to ensure your site, event or property is safe and secure. We've recently added to our cable management, crowd control and erosion/flood control options.



Scan this QR code to
check out our range
of accessories

SURVEY PEGS AND HAZARD AWARENESS




SURVEY PEGS / 50MM X 25MM X 900MM

Made from recycled Australian Hardwood. Packs of 25.



ORANGE SAFETY FLAGGING BUNTING - 30M OR 100M

Ensuring you have high visibility surrounding your work site or hazard.



BARRIER MESH 1M X 50M

Providing high visibility and restricting access to hazards.

EROSION/FLOOD CONTROL



COIR LOGS

200mm (D) x 3m (L) 100% Coconut fibre ideal for landscaping, water diversion, erosion control & more.



SANDBAG FILLER

Fill sandbags faster and easier. Our fillers are ideal for construction work and flood control.



Please note: Image is for illustrative purposes, sandbags come unfilled.

HESSIAN SANDBAGS

Can be used to create temporary barriers and walls, weighing down light objects and stabilising soil.

CABLE MANAGEMENT



CABLE PROTECTORS

2 or 5 channel options, eliminate trip hazards with a non-slip design for indoor and outdoor use.



LEAD STANDS - EXTENDABLE

Holds up to 8 electrical leads or 2 air hoses off the ground, eliminating the potential trip hazard.



LEAD HOOK

Made of strong plastic capable of holding up to 9 leads. It can easily hook over pipes, doors and rails.



ACOUSTIC CURTAINS

Acoustic Curtains or as they are otherwise known, Noise Reduction Barriers have become an essential element on construction projects and building sites.

Designed using world-leading acoustic technology, our Noise Reduction Barriers are a must to help protect local communities and employees from the harmful effects of excessive noise.

- Made from high quality, lightweight, water-resistant PVC
- Simple to transport and easy to install with simple velcro and eyelets
- Low centred to ensure noise can't penetrate beneath
- Strong insulated core that provides up to 18 decibels of sound absorption performance.
- Comes unbranded and with reflective strips for easy visibility



Scan this QR code
to check out our
acoustic curtains




ACOUSTIC CURTAIN

STANDARD BLUE

SPECIFICATIONS

Weight	7kg
Height	2050mm
Width	1335mm
Rating	Rw18dB Certified Sound Reduction
Fitting	Velcro and eyelets



ACOUSTIC CURTAIN ACCESSORIES



CABLE TIES BLACK
203MM X 7.6MM
Pack of 100



CABLE TIES BLACK
280MM X 4.8MM
Pack of 100



CABLE TIES BLACK
300MM X 7.6MM
Pack of 100



SHADE CLOTH


Site HQ specialises in providing high quality heavy duty Shade Cloth. Whether it is for commercial or residential use we offer a wide range of colours, density options and widths.



Scan this QR code to
check out our range
of shade cloth




DENSITY RANGE



WEIGHT PER ROLL

%	1.83m x 25m Roll	1.83m x 50m Roll	3.66m x 50m Roll
30%	-	16kg	-
50%	-	16kg	35kg
70%	16kg	16kg	35kg
90%	-	16kg	35kg

COLOUR RANGE



SIZE RANGE

BLACK

%	1.83m x 25m	1.83mx 50m	3.66m x 50m
30%	-	✓	-
50%	-	✓	✓
70%	✓	✓	✓
90%	-	✓	✓

BLUE

%	1.83m x 25m	1.83mx 50m	3.66m x 50m
30%	-	✓	-
50%	-	✓	✓
70%	-	✓	✓
90%	-	✓	✓

GREEN

%	1.83m x 25m	1.83mx 50m	3.66m x 50m
30%	-	-	-
50%	-	✓	✓
70%	✓	✓	✓
90%	-	✓	✓

SANDSTONE

%	1.83m x 25m	1.83mx 50m	3.66m x 50m
30%	-	-	-
50%	-	✓	✓
70%	✓	✓	✓
90%	-	-	✓

WHITE

%	1.83m x 25m	1.83mx 50m	3.66m x 50m
30%	-	-	-
50%	-	✓	✓
70%	-	✓	✓
90%	-	✓	✓



FIRE RETARDANT SHADE CLOTH

SPECIFICATIONS

Colour	Blue or Black
Density	50%
Rating	Tested inline with AS/NZS 1530.3:1999



WEEDMAT

BLACK OR WHITE

SPECIFICATIONS

Weight	10kg
Length	50m roll
Height	1.8m (White) 1.8m / 2.1m (Black)
Durable	80gsm



SCAFFOLDING MESH

SPECIFICATIONS

Width	183cm
Length	50m roll
Colour	Blue or Black
Durable	80 gsm / 35% cover factor

SHADE CLOTH ACCESSORIES



CABLE TIES

SPECIFICATIONS

Sizes	203mm x 7.6mm / 280mm x 4.8mm / 300mm x 7.6mm
Pack	100 per pack
Colour	Black



STAR PICKETS

Our heavy duty Star Picket posts come with pre-drilled holes for fixing wire, temporary fence, barrier mesh, flags and more. Suitable for construction, fencing and formwork.


Large range of sizes available.



Scan this QR code to check out our range of star pickets



STAR PICKET SIZE CHART



Colour:	Size:	Holes:
Black	300mm	2 Holes
Black	450mm	2 Holes
Black	600mm	3 Holes
Black	900mm	5 Holes
Galvanised	1200mm	11 Holes
Black or Galvanised	1350mm	11 Holes
Black or Galvanised	1500mm	14 Holes
Black or Galvanised	1650mm	14 Holes
Black or Galvanised	1800mm	14 Holes
Black	2100mm	7 Holes
Black or Galvanised	2400mm	7 Holes

Weight:	Smart (Black):	Super (Black):	Galvanised:
Per Metre	1.39kg	1.9kg	1.9kg



STAR PICKET ACCESSORIES



JACKJAW – PICKET & 32MM OD POST – LARGE

Specially designed to remove pickets and posts up to 32mm O.D. damage free with speed and ease.



JACKJAW – PICKET & 32MM OD POST – SMALL

Removes pickets and posts up to 32mm O.D. quickly and damage free with ease.



JACKJAW – PICKET ONLY LARGE

Specially designed with tempered jaws to remove pickets easily and damage free.



JACKJAW – PICKET ONLY SMALL

Specially designed to remove pickets easily and damage free.



JACKJAW TEETH – PICKET & POST

Replacement teeth for picket & post jackjaws.



JACKJAW TEETH – PICKET ONLY

Replacement teeth for picket only jackjaws.



STAR PICKET CAP – ROUND

Helps to prevent harm from the sharp edges on star pickets.



STAR PICKET CAP – TRIANGLE

Helps to prevent harm from the sharp edges on star pickets.



STAR PICKET HAMMER

A simple and easier way to install star pickets.



SAFETY SIGNAGE

Site HQ offers a wide range of Safety Signage, an essential for any workplace, to provide heightened safety awareness for both employees and visitors.

Our 1.4mm polypropylene is a durable UV treated material, suitable for indoor and outdoor use. 100% recyclable it is the environmentally friendly site signage choice. All signs are finished with rounded edges and drill holes in each corner for easy installation.

Have a custom design in mind, we can help.



Scan this QR code to
check out our range
of site signage



**ASBESTOS
REMOVAL SIGN**
450mm x 300mm



**CONSTRUCTION
SITE SIGN**
450mm x 300mm



**DEEP EXCAVATION
SIGN**
450mm x 300mm



KEEP OUT SIGN
450mm x 300mm



**KEEP OUT AUTHORIZED
PERSONNEL ONLY SIGN**
450mm x 300mm




**SITE OFFICE
SIGN**
450mm x 300mm



**TOILETS
SIGN**
450mm x 300mm



**SITE ACCESS
SIGN**
450mm x 300mm



**REPORT TO SITE
OFFICE SIGN**
300mm x 450mm



**SIGN IN & OUT
REGISTER SIGN**
300mm x 450mm



**NO SMOKING
SIGN**
300mm x 450mm



**NO PEDESTRIAN
ACCESS SIGN**
300mm x 450mm



**FIRST AID
SIGN**
300mm x 450mm



**EMERGENCY ASSEMBLY
AREA SIGN**
450mm x 300mm




**EYE PROTECTION
SIGN**
450mm x 600mm



HEAD PROTECTION SIGN

450mm x 600mm



HEARING PROTECTION SIGN

450mm x 600mm



HI VIZ CLOTHING SIGN

450mm x 600mm



SAFETY FOOTWEAR SIGN

450mm x 600mm



BEWARE OF VEHICLES SIGN

450mm x 600mm



FORKLIFTS IN USE SIGN

450mm x 600mm



KEEP CLEAR SIGN

450mm x 600mm



FOOTPATH CLOSED SIGN

600mm x 450mm



PEDESTRIAN ACCESS SIGN

600mm x 450mm



SITE SAFETY SIGN

900mm x 600mm



PROTECTIVE EQUIPMENT SIGN

900mm x 600mm



CCTV SURVEILLANCE SIGN

600mm x 900mm



SITE CONTACT COMBINED SIGN

600mm x 900mm



CABLE TIES BLACK 203MM X 7.6MM

Pack of 100



CABLE TIES BLACK 280MM X 4.8MM

Pack of 100



CABLE TIES BLACK 300MM X 7.6MM

Pack of 100



SOLAR/WIRELESS SITE CAMERAS

1300SiteCam strives to offer the best in Site Security services. Our Solar/Wireless Security Camera Systems monitor and protect your site and assets, with 24/7 visibility. Take control and reduce your risk of theft and crime. Whatever your site requirements, we have a camera to suit your needs, with both in-ground and above ground installation options.

Smart motion detection










Our AI motion detection technology helps you

to focus on human and vehicle events. The device will only trigger an alarm when the preset intrusion type (*human or vehicle*) takes place, and videos related to alarm events are sorted into human and vehicle categories for easier footage searches.

Warranty & certifications

Our AI motion detection technology comes with a 12 month warranty, and are engineering certified to Australian Standards.

All models include:

								
Solar & battery (no power needed)	24/7 Live view (smart phone / tablet)	Artificial intelligence (motion detection)	Alert emails with 3 photos & app push notifications	Telstra 4G wireless internet	Flood & strobe light (on motion detection)	Night vision mode (30m motion detection)	4MP wide angle camera lens	Water & dust resistant (IP67)

4K TURRET CAMERA




SINGLE TURRET

For single site applications. Provides coverage to both sides of a fence.




DETECTION & COVERAGE RANGE



DOUBLE TURRET

Ideal in narrow walkways, site entrance gates and site offices, when you need to monitor two different directions.




180° / 360° CAMERA




180° SINGLE CAMERA

For large areas and along fence lines.



360° DOUBLE CAMERA

For sites that require all-round vision.




PROGRAMMABLE TRIGGER ZONES

As each site has different conditions, 1300SiteCam can customize trigger detection zones to provide accurate detection of intrusion events.

COLORVU TECHNOLOGY

Our camera's feature ColorVu technology which produces colourful videos even in extremely dimly lit environments.

It's large aperture provides vivid and colourful images even in low light, prevents reflections and loss of details caused by infrared lighting and over exposure.



INSTALLATION OPTIONS

IN GROUND

1 x 4m strong steel pole
1 x secure in ground spike



ABOVE GROUND

1 x 4m strong steel pivoting pole
1 x above ground, weighted modular steel base, forkliftable



ACCESSORIES & ADD ONS



LED FLOODLIGHT (6800LM)

High powered LED Floodlight for visibility at night.



DATA PLAN

Data plan & configuration p/month p/unit.



SECURITY MONITORING

1300SiteCam can provide 24/7 site monitoring.



TIME LAPSE

Photos are captured (every 30mins) and merged into a time lapse video.

PREFER TO HIRE?

1300TempFence is Australia's preferred specialist in temporary fence hire. With 24 years industry experience, we offer complete site solutions, competitive prices, fast reliable service and industry leading products. All our products are fully compliant to Australian Standards.

HIRE IN 3 EASY STEPS ✓

- 1 CALL **1300 836 733**
- 2 FREE CONSULTATION WITH EXPERTS
- 3 FAST & SECURE INSTALLATION

1300 836 733 | **1300TEMPFENCE.COM.AU**



LEADERS IN COMPLETE SITE PRINTING SOLUTIONS

- Top quality
- UV protected for long life
- Installation services
- Three FREE proof revisions



PRINTED MESH

VINYL BANNERS

CCB SLIPS



Call us today on **1300 742 332**
or visit **tpscc.com.au**

tpscc
The Printed Shade Cloth Company

1300TEMPFENCE
In conjunction with

1300HOARDING

1300Hoarding are specialists in the design and installation of robust, secure engineer certified hoarding systems.

Suitable for:

- COMMERCIAL CONSTRUCTION
- INFRASTRUCTURE
- DOMESTIC CONSTRUCTION
- EVENTS
- RETAIL AND OFFICE

1300 462 734 | **1300HOARDING.COM.AU**



NOTES:



SITE HQ[®]

SMART SITE SOLUTIONS

 1300 748 347  SITEHQ.COM.AU

