

JUNE 2025

PRODUCT CATALOGUE



EXPLORE OUR RANGE OF:

TEMPORARY FENCING & BARRIERS
PORTABLE TOILETS & SHOWERS
WATER FILLED BARRIERS
STAR PICKETS
TRAFFIC, SITE & SAFETY EQUIPMENT

ACOUSTIC CURTAINS
SHADE CLOTH
SIGNAGE HQ
GROUND PROTECTION
POWER AND DISTRIBUTION

SOLAR/WIRELESS SITE CAMERAS
AND MUCH MORE!

1300 748 347
sitehq.com.au

ARE YOU AN ACCOUNT CUSTOMER?

ORDER ONLINE IN **3 EASY STEPS!**

Log into your account at SiteHQ.com.au to access your custom pricing and conveniently purchase items with just a click—quickly, safely, and securely.


You must have an active Ready Industries trading account for this feature to work. If you're not already an account customer but wish to become one, please fill in our application form, which can be found online at: tempfence.applyeasy.com.au/credit

Then follow the simple steps below.

1 Follow the link in the welcome email to get started with your Site HQ account

2 Enter your new password on the **'password reset'** screen and click **'save'**

3 Log into your Site HQ account and start shopping!



Need a hand getting started?

Scan the QR code to watch our video on how to set up your account.

CONTENTS



INTRODUCTION

Introducing Site HQ

2



OUR LOCATIONS

Australian locations

4

OUR PRODUCTS



TEMPORARY FENCING AND BARRIERS 5

Temporary Fencing	6
Temporary Fencing Accessories	6
Temporary Fencing Packs	7
Bracing & Support Stays	8
Crowd Control Barriers	9
Crowd Control Barrier Packs	10
Edge Protection	11
Pool Fencing	11
A-Frame Barricades	11
SmartWall Temporary Fencing Base	12



PORTABLE TOILETS AND SHOWERS 13

Portable Toilets	14
Portable Toilet Accessories	14
Hand Wash Stations	15
Portable Shower	15
Accessible Portable Toilets	15
Trailers	15



WATER FILLED BARRIERS 16

Water Filled Barriers	17
Fence Top Panels	18
MASH Testing	18
Water Filled Barrier Accessories	18



STAR PICKETS 19

Star Pickets	20
Accessories	21



TRAFFIC, SITE & SAFETY EQUIPMENT 22

Civil Consumables	23
• Builders Plastic	
• Erosion Control	
• Survey & Mark Out	
Site Consumables	23
• Plywood	
• Cable Ties	
Site Safety Signage	24 - 25
PPE	25
• Eye Protection	
• Hand Protection	
• Head, Sun & Ear Protection	



Traffic Accessories 26

- Traffic Signs
- Barrier Mesh
- Bollards and Cones
- Bunting and Flagging
- Stop/Go Baton
- Ratchets and Tie Downs
- Barricade Light
- Safety Tape



Car Park Accessories 26



ACOUSTIC CURTAINS 27

Acoustic Curtain – standard blue 28



SHADE CLOTH 29

Shade Cloth Density	30
Shade Cloth Colour Range	31
Fire Retardant Shade Cloth	31
Weedmat	31
Scaffold Mesh	31



SIGNAGE HQ 32

Printed Mesh Banners	33
Printed Vinyl Banners	33
Crowd Control Barrier Coverings	34
Printed Boards	34
Printed Flags	35
Stickers	35
Display Signage	35
Custom Signage	35
Graphic Design Services	35



GROUND PROTECTION 36

Ground Protection Mats	37
Sticky Mats	37



POWER & DISTRIBUTION 38

Cable Guards	39
Lead Stands and Hooks	39
Outlets	39




SITE CAMERA 40

Solar/Wireless Site Cameras	42
Installation Options	43




CONVENIENT LOCATIONS AUSTRALIA WIDE




MELBOURNE (HEAD OFFICE)

1/539 Mt Derrimut Rd,
Derrimut VIC 3026




MELBOURNE (SOUTH EAST)

235-239 Abbots Rd,
Dandenong South VIC 3175




SYDNEY

5 Denoci Cl,
Wetherill Park NSW 2164




NEWCASTLE

51 Industrial Dr,
Mayfield North NSW 2304




CANBERRA

11 Wycombe St,
Queanbeyan East NSW 2620




BRISBANE

20 Southlink St,
Parkinon QLD 4115




SUNSHINE COAST

725 Chevallum Rd,
Chevallum QLD 4555




PERTH

9 Da Vinci Way,
Forrestdale WA 6112



ADELAIDE

2-26 Circuit Drive,
Hendon SA 5014



TEMPORARY FENCING AND BARRIERS

Site HQ, powered by **1300TempFence**, is Australia's leading specialist in temporary fencing solutions. Our systems are rigorously tested and certified by third-party engineering consultants to meet the latest Australian Standard for Temporary Fencing (AS-4687:2022). We offer a range of bracing solutions to suit various wind speeds, ensuring stability from 54 km/h up to 147 km/h, tailored to meet your site's specific needs.

Crowd control barriers are essential for managing safe crowd flow at events and worksites. Whether for employees, guests, or the general public, it's crucial to choose the right temporary fencing solution. Our crowd control barriers feature stable flat feet to minimise tripping risk. We also offer Crowd Control Pedestrian Gates for enhanced access control.


With our extensive industry experience and a strong reputation for reliability, Site HQ is proud to be the exclusive provider of 1300TempFence's temporary fence and barriers.

Scan this QR code to check
out our range of temporary
fencing and barriers






TEMPORARY FENCE RANGE



SMART PANEL

2.4M WELDED MESH


Panel size	2400mm (W) x 2100mm (H)
Frame	32mm O.D.
Infill mesh	2.5mm x 2.5mm, 2.5mm wire, 150mm x 60mm spacings
Weight	11kg
Finish	Galvanised



MAXI PANEL

2.4M HEAVY DUTY WELDED MESH

Panel size	2400mm (W) x 2100mm (H)
Frame	32mm O.D.
Infill mesh	4mm x 4mm, 4mm wire, 150mm x 60mm spacings
Weight	22kg
Finish	Galvanised 42 microns



MAXI PANEL

3.3M WELDED MESH

Panel size	3300mm (W) x 2100mm (H)
Frame	32mm O.D.
Infill mesh	4mm x 4mm, 4mm wire, 150mm x 60mm spacings
Weight	30kg
Finish	Galvanised 42 microns

✚ DON'T FORGET TO ADD



CONCRETE
FILLED FEET



BLOW MOULDED
FEET



UNFILLED FEET



MAXI CLAMP
25/25 71MM PITCH



SMART CLAMP
25/25 71MM PITCH



GATE HINGE
25/25



★ PREMIUM PANEL OPTIONS

ALTERNATIVE
TO PLYWOOD
HOARDING



MAXI PLASTIC SHEET TEMPORARY FENCE PANEL (HDPE) 2.4M X 2.1M

Panel size	Suits maxi panel 2400mm (W) x 2100mm (H)
Colour	White
Weight	35kg
Material	HDPE
Density	100% (full block out)



PRESTIGE PANEL TEMPORARY FENCE PANEL 2.4M

Panel size	2400mm (W) x 2100mm (H), OR 2250mm (W) x 2400mm (H)
Frame	32mm O.D. 2mm pipe wall thickness
Infill pickets	19mm O.D. 1.2mm wall thickness
Weight	37kg
Finish	Galvanised 42 microns



TEMPORARY FENCE (SMART) PACKS

FREE LOCK
AND CHAIN
FOR ALL PACK
PURCHASES



Our convenient range of fence packs come with everything you need to get started. Available in **25 metres**, **50 metres**, **100 metres** or **200 metres**.

FEATURES

- Economical
- Lightweight
- Galvanised – longer life span
- Anti-climb weld mesh (*extra security*)
- Great for building sites or events

FEET SPECIFICATIONS

Blow moulded plastic concrete filled feet, available in hi-vis orange for safety. UV protected for long life, they will outlast plain concrete and rubber alternatives. Well weighted to maintain the stability of the fence.

PACK SPECIFICATIONS

	25M	50M	100M	200M
SMART temp fence panels (2.4m w x 2.1m h)	11	21	42	84
Blow moulded concrete filled feet (25kgs)	11	21	42	84
SMART temporary fencing clamps	11	21	42	84
Actual coverage	26.4m	50.4m	100.8m	201.6m

PANEL SPECIFICATIONS

Panel size	2400mm (L) x 2100mm (H)
Frame	32mm O.D.
Infill mesh	150mm x 60mm spacings
Finish	Galvanised



BRACING & SUPPORTS

AVAILABLE
IN SMART
(1MM THICK)
OR MAXI
(2MM THICK)



SUPPORT STAY




HOOK STAY



TEMPORARY FENCE ACCESSORIES

AVAILABLE
IN SMART
(1MM THICK)
OR MAXI
(2MM THICK)



MAN GATE



GATE WHEELS

AVAILABLE
IN 2.4M
OR 3.3M
LENGTHS



HAND RAIL

AVAILABLE
IN 2.1M
OR 3M
LENGTHS



DOG BAR

RANGE
OF SIZES
AVAILABLE



STILLAGE



CLAMPS




LOW TRIP
HAZARD




METAL FEET



LOCK & CHAIN



CROWD CONTROL BARRIER RANGE



EZI 2.2M FLAT FOOT

CROWD CONTROL BARRIER


Weight	11kg
Length	2200mm
Height	1100mm
Frame	25mm O.D.
Infill pickets	20mm O.D. 187mm spacings



ORANGE 2.2M FLAT FOOT

CROWD CONTROL BARRIER

Weight	11kg
Length	2200mm
Height	1100mm
Frame	25mm O.D.
Infill pickets	20mm O.D. 187mm spacings



HEAVY DUTY 2.2M FLAT FOOT

CROWD CONTROL BARRIER

Weight	18kg
Length	2200mm
Height	1100mm
Frame	25mm O.D.
Infill pickets	20mm O.D. 187mm spacings

INCLUDES
GATE SPRING
AND 2 FEET



CROWD CONTROL BARRIER GATE

Weight	20kg	Barrier	2200mm (W) x 1100mm (H)
Gate	760mm (W) x 950mm (H)	Arch	900mm (W) x 2100mm (H)
Finish	Galvanised or Orange		

+ DON'T FORGET TO ADD



EZI METAL FEET



ORANGE METAL FEET



HEAVY DUTY METAL FEET



PTO LOCK PIN



CROWD CONTROL BARRIER PACKS



AVAILABLE IN **ORANGE** OR **GALVANISED** FINISHES!

Crowd control barriers are a must for creating a safe and secure environment. Whether you are running a construction site or event, crowd control barriers are vital for maintaining safe crowd flow and keeping people away from potential hazards.

Our convenient range of crowd control barrier packs come with everything you need to get started. Available in **25 metres**, **50 metres**, **100 metres** or **200 metres**.

FEATURES

- Economical
- Lightweight
- Great for building sites or events

FINISHES

Available in orange or galvanised

PACK SPECIFICATIONS

	25M	50M	100M	200M
Crowd control barrier panels (2.2m ea)	12	23	46	91
Crowd control barrier metal feet	24	46	92	182
PTO Pins to secure the feet to panel	24	16	92	182
Actual coverage	26.4m	50.6m	101.2m	200.2m

PANEL SPECIFICATIONS

Weight	14kg each		
Length	2200mm	Height	1100mm
Frame	25mm O.D.		
Infill pickets	20mm O.D. 187mm spacings		



PLASTIC CROWD CONTROL BARRIER

Weight	13kg	Length	2000mm
Height	1000mm	Feet	Rubber
Finish	Orange		



PLASTIC EXPANDABLE BARRIER

Fitted with reflectors
290mm-2500mm x 390mm x 960mm.




NEW

RETRACTABLE BOLLARD

Stainless steel post and weighted base with retractable belt. 900mm x 320mm.



EDGE PROTECTION BARRIER



EDGE PROTECTION

PANEL 2.4 X 1M

Weight	15.5kg
Panel width	2400mm
Panel height	1000mm



EDGE PROTECTION

PANEL POST

Weight	4kg	Height	1005mm
Base	150mm x 4mm x 5 fixing flange		
Holes	4 x 12mm diameter holes		
Finish	Galvanised hollow sections		



TEMPORARY POOL FENCING



METAL POOL FEET SOLD SEPARATELY

ATLANTIS POOL

PANEL 2.0M

Panel size	2000mm (W) x 1250mm (H)
Frame	25mm x 25mm SHS
Infill pickets	20mm O.D. 89mm spacings
Weight	18.5kg
Finish	Fully Galvanised 42 microns

ATLANTIS POOL

SELF CLOSING GATE

Panel size	1050mm (W) x 2000mm (H)
Frame	Outer 40mm x 40mm SHS Inner 25mm x 25mm SHS
Infill pickets	20mm O.D. 89mm spacings
Weight	23.5kg
Finish	Fully Galvanised 42 microns



Tested and certified to Australian Standard AS 4687-2022 Temporary Swimming Pool Fencing. This product restricts and limits access and should never be used as a substitute to active supervision. Supervision is vital to prevent drownings or water related injuries.




A-FRAME BARRICADES



A FRAME BARRICADE

STAND 2 WAY
HD YELLOW

Weight	5.5kg
Height	1100mm
Width	775mm
OD	Ø60X5
SHS	25x25X2mm



POLE FOR A FRAME BARRICADE

POLE 5.8M
HD YELLOW

Weight	8.5kg
Tube length	5800mm
Tube diameter	40.2mm



SMARTWALL TEMPORARY FENCE WATER FILLED BASE



**NEW
PRODUCT**

SMART WALL



Custom
Shade Cloth
options now
available

The NEW **SmartWall** is our latest water filled barrier system. State of the art in design, it utilises our **Smart** or **Maxi** temporary fence panels. Easy to install, the simple one-piece base is stackable, lightweight and easy to transport. The brightly coloured base component provides maximum visibility, while it's low profile with sloped edges reduces the risk of climbing. The compact, narrow shape also eliminates tripping hazards. Strong, durable and safe, our new SmartWall is engineer certified to meet Stability Class from AS 4687:2022.

Features and benefits:

- Easy to install or relocate with it's simple one-piece design
- Stackable, allowing up to 36 units per stack, no pallets required
- Easy to lift handles on side and middle
- Low profile prevents anything sliding underneath
- Narrow footprint, less encroachment on footpaths
- Sleek aesthetic, ideal for high traffic areas and high profile sites



Size	2,385mm (L) x 464mm (H) x 388mm (W)
Weight	31kgs (empty) 304kgs (water filled)
Capacity	273 litres
Material	LDPE
Australian designed	

**Australian
Standard**
AS4687 - 2022
Temporary Fencing
and Hoardings



Engineer certified to
meet stability class
AS 4687:2022

**AVAILABLE
IN PACKS
check website
for details**





PORTABLE TOILETS & SHOWERS

Leaders in sanitation solutions

Site HQ, is proud to be the official distributor of The Portable Toilet Company range of portable toilets and showers.

The Portable Toilet Company is Australia's preferred supplier of portable toilets for; construction sites, events and rural properties right across the country. We're also the supplier of choice for the hire & rental industries. We provide high quality, safe, comfortable, hygienic and affordable portable toilets, showers and accessories to meet the demands of all onsite employees, event attendees and general public.

We pride ourselves on building ergonomically friendly toilets designed with the latest technology. Our products are built from premium materials, carefully designed to withstand regular movement and frequent usage, combining strong and durable materials with sleek, modern design. Every portable toilet can be controlled completely by foot, taking sanitation to the next level with a completely touch free experience.

Scan this QR code to check
out our range of portable
toilets and showers





MARINE PORTABLE TOILET

Weight	128kg
Waste tank	280 litres
Fresh water tank	160 litres
Size	1200mm (L) x 1120mm (W) x 2300mm (H)
Wall colours	● Blue ● Grey
Walls	Twin skin



BILLABONG PORTABLE TOILET

Weight	165kg
Waste tank	390 litres
Fresh water tank	160 litres
Size	1200mm (L) x 1120mm (W) x 2350mm (H)
Wall colours	● Blue ● Grey
Walls	Twin skin



SEWER CONNECT TOILET

Weight	140kg
Waste	Mains connect (sewer)
Fresh water	Mains connect (water)
Size	1200mm (L) x 1120mm (W) x 2200mm (H)
Wall colours	● Blue ● Grey
Walls	Twin skin


PORTABLE TOILET RANGE



DON'T FORGET TO ADD



REAR EVAC
VALVE



TOILET LED
LIGHT



TOILET
CHEMICAL



DEODORISOR
DISCS



TOILET
PAPER



SOAP
DISPENSER

PAPER
TOWELS
NOT
INCLUDED



PAPER TOWEL
DISPENSER



AVAILABLE
AS SINGLE
OR
DOUBLE

HAND WASH STATION



Weight 22kgs (single) / 32kgs (double)

Waste tank 65L (single) / 100L (double)

Fresh water tank 60L (single) / 115L (double)

Size 400mm x 520mm x 1340mm (single)
500mm x 760mm x 1320mm (double)

Colour Grey



ACCESSIBLE PORTABLE TOILET

Weight 180kg

Waste tank 150 litres

Fresh water tank 110 litres

Size 1950mm (L)
1950mm (W)
2300mm (H)

Wall colours Blue with grey door

Skid base PE (Floor PP)



Please note:
Toilets are for display
purposes only. Toilets
are sold separately.



SINGLE PORTABLE TOILET TRAILER

Our single mount system is ideal for transporting your toilet with ease. Designed to sit lower in the frame ensuring a lower centre of gravity with less wind resistance while in motion.

Key features

Robust handrails and sturdy platform, fold down low level step, LED tail lights, jockey wheel, rear stabilisers, spare tyre, secure handbrake and more!

Size 2912mm (L) x 1794mm (W)

Please note:
Toilets are for display
purposes only. Toilets
are sold separately.



DOUBLE PORTABLE TOILET TRAILER

Our double mount system is ideal for transporting two toilets with ease. Designed to sit lower in the frame ensuring a lower centre of gravity with less wind resistance while in motion.

Key features

Robust handrails and sturdy platform, fold down low level step, LED tail lights, jockey wheel, rear stabilisers, spare tyre, secure handbrake and more!

Size 4927mm (L) x 1794mm (W)



**HOT WATER SYSTEM
(PORTABLE SHOWERS)**



**TRAILER
ACCESSORIES**



PORTABLE SHOWER

Weight 120kg

Size 1220mm (L)
1180mm (W)
2300mm (H)

Skid base Galvanised steel

Wall colours Blue Grey

Special features Floor drain & shelf

Walls Twin skin

Optional extras Gas hot water unit option available

*Models may vary slightly depending on location.



WATER FILLED BARRIERS

Site HQ's water filled barriers are a great safety barrier solution. Our high strength **Shield 1** can help stop, contain and re-direct an impacting vehicle making it an ideal choice for road closures, crash protection, traffic management and use on worksites. Our heavy duty **X-Site** is ideal as a medium zone barrier perfect for pedestrian delineation, while our lightweight **X-Stream** can be filled to 25% capacity, making it a great low cost option, ideal for use on building sites and to delineate walkways.

Each of our versatile barriers are easy to install with simple interlocking systems, easy to manoeuvre, highly visible, sturdy and durable.

We also offer a range of fitted anti gawk screens and fence tops for added privacy.



Scan this QR code to check out our range of water filled barriers and accessories



WATER FILLED BARRIER RANGE



SHIELD 1 CRASH

RATED WATER FILLED BARRIER

Weight	81kg (empty) / 611kg (filled)
Length	2200mm
Height	920mm
Width	600mm
Capacity	530 litres
Colour	Available in Orange



X-SITE

WATER FILLED BARRIER

Weight	31kg (empty) / 360kg (filled)
Length	2200mm
Height	990mm
Width	600mm
Capacity	320 litres
Colour	Available in Orange and White



X-STREAM

WATER FILLED BARRIER

Weight	20kg (empty)
Weight	205kg (filled)
Length	2000mm
Height	900mm
Width	500mm
Colour	Available in Orange and White

END TREATMENT

SHIELD 1 CRASH RATED WATER FILLED BARRIER

END TREATMENT

Weight	81kg	Length	2200mm
Height	920mm	Width	600mm



MASH TEST LEVEL 1


APPROVED

MASH TESTING

Watch how our Shield 1 water filled barriers stand up to rigorous MASH testing. MASH testing is Australia's preferred testing method for road safety barriers by the Austroads Safety Barrier Assessment Panel.

MASH TL-1 RATING


- 2,270kg at 50km/h and 25° accepted dynamic deflection 2.2m
- Road authority approved
- Impact speed rating TL-1, 50km/h
- Minimum length of need 44m



Scan this QR code to watch on YouTube




FENCE TOP PANELS




SHIELD 1 FENCE TOP PANEL

Weight	17kg
Width	1865mm
Height	1200mm
Frame	25mm x 25mm
Infill mesh	4mm x 4mm, 4mm wire, 50mm x 50mm spacings




X-SITE FENCE TOP PANEL

Weight	25kg
Width	1975mm
Height	1025mm
Frame	32mm O.D.
Infill mesh	4mm x 4mm, 4mm wire, 141mm x 60mm spacings




KI-1000 FENCE TOP PANEL

Weight	25kg
Width	1975mm
Height	1025mm
Frame	32mm O.D.
Infill mesh	4mm x 4mm, 4mm wire, 141mm x 60mm spacings



ARMORZONE FENCE TOP PANEL

Weight	17kg
Width	1965mm
Height	1200mm
Frame	25mm x 25mm
Infill mesh	4mm x 4mm, 4mm wire, 50mm x 50mm spacings



LO-RO FENCE TOP PANEL

Weight	17kg
Width	1830mm
Height	1060mm
Frame	25mm x 25mm
Infill mesh	4mm x 4mm, 4mm wire, 50mm x 50mm spacings



DON'T FORGET TO ADD



SHIELD 1 BARRIER PIN





REPLACEMENT BUNG

Shield 1, Ki 1000, X-Site & X-Site



BARRICADE LIGHT

Batteries not included



STAR PICKETS

Our heavy duty Star Picket posts come with pre-drilled holes for fixing wire, temporary fence, barrier mesh, flags and more. Suitable for construction, fencing and formwork.

Large range of sizes available.


Scan this QR code to
check out our range
of star pickets




SPECIFICATIONS

Colour:	Size:	Holes:
Black	300mm	2 Holes
Black	450mm	2 Holes
Black	600mm	3 Holes
Black	900mm	5 Holes
Galvanised	1200mm	11 Holes
Black or Galvanised	1350mm	11 Holes
Black or Galvanised	1500mm	14 Holes
Black or Galvanised	1650mm	14 Holes
Black or Galvanised	1800mm	14 Holes
Black	2100mm	7 Holes
Black or Galvanised	2400mm	7 Holes

Weight:	Smart (Black):	Super (Black):	Galvanised:
Per Metre	1.39kg	1.9kg	1.9kg



STAR PICKET SIZE CHART





DON'T FORGET TO ADD



JACKJAW – PICKET ONLY
LARGE



JACKJAW – PICKET ONLY
SMALL



JACKJAW – PICKET & 32MM
OD POST – LARGE



JACKJAW – PICKET & 32MM
OD POST – SMALL



JACKJAW
PEG PULLER



JACKJAW TEETH



STAR PICKET CAPS



STAR PICKET
HAMMER





TRAFFIC, SITE AND SAFETY EQUIPMENT

Site HQ offers a comprehensive range of products designed to ensure the safety and efficiency of your worksite or traffic management needs. From civil and site consumables, safety signage to traffic cones and accessories to aid traffic management, we provide high-quality, reliable solutions to help maintain secure and compliant environments.



Scan this QR code
to check out our
range of portable
toilets and showers





CIVIL CONSUMABLES



3M X
200MM

COIR LOGS



SANDBAG FILLER



50
PACK

Please note:
Image is for
illustrative
purposes,
sandbags
come unfilled.

HESSIAN SANDBAGS



50MM
x 25MM
x 900MM

SURVEY PEGS /
PACKS OF 25



SILT FENCE



BUILDERS PLASTIC


SPRAY & MARK PAINT

- Designed for easy inverted spray application
- Durable, weather-resistant finish
- Ideal for spot marking and writing
- Handy 350g aerosol can for convenient handling

NEW



SITE CONSUMABLES



BLACK
STALLION

2400MM
X 1200MM
X 17MM

F17 FORMPLY PLYWOOD



PLYWOOD
FSC

2400MM
X 1200MM
X 18MM

SELEX CPD NON-STRUCTURAL



ASSORTED
SIZES

PACK
OF 100

CABLE TIES

! SITE SAFETY SIGNAGE

DANGER SIGNAGE

These signs are designed to provide a warning e.g. when there is potential hazard or hazardous condition that could potentially be life-threatening. The word 'Danger' is featured prominently inside a red oval inside a black rectangle. We offer the below range in Danger Signage.



300mm x 450mm



300mm x 450mm



300mm x 450mm



300mm x 450mm



300mm x 450mm

MANDATORY SIGNAGE

These signs are designed to specify an instruction that must be carried out. Pictograms/Symbols are depicted in white on a blue circular background. Wording, if required is in black lettering.




450mm x 600mm




600mm x 450mm



600mm x 450mm



600mm x 450mm



600mm x 450mm



600mm x 450mm

PROHIBITION SIGNAGE

These signs specify behaviour or actions that are not permitted. The annulus and slash are depicted in red over the symbol of the action in black. Wording, if required is in black.



450mm x 300mm



450mm x 300mm

EMERGENCY SIGNAGE

These signs indicate the location of, or direction to emergency related facilities. White symbol/text on green background.



450mm x 300mm



300mm x 450mm

WARNING SIGNAGE

These signs warn of hazards or a hazardous condition that is unlikely to be life-threatening. The hazard symbol is black on a yellow background with a triangle around the hazard symbol. Wording if required is black.




600mm x 450mm



600mm x 450mm



600mm x 450mm



450mm x 600mm



450mm x 600mm



1800mm x 900mm

GENERAL SIGNAGE

General signage encompasses a broad category of signs designed to convey various types of information that aren't necessarily specific to any one situation or location but are intended to provide useful guidance.

These signs are prevalent in many settings, including public spaces and commercial areas.



900mm x 600mm



900mm x 600mm



600mm x 900mm



450mm x 300mm



450mm x 300mm



450mm x 300mm



450mm x 300mm



600mm x 450mm



PPE

NEW



PHOENIX SAFETY GLASSES
(Pack of 12)



SWORDFISH SAFETY GLASSES ANTI-FOG
(Pack of 12)



TEXAS SAFETY GLASSES
(Pack of 12)



SAFETY GOGGLES - T3
(Pack of 6)



ANTI-FOG LENS CLEANING WIPES

DON'T FORGET TO ADD GLOVE CLIPS

ALL GLOVES ARE AVAILABLE IN A RANGE OF SIZES.



G-FORCE ULTRA CUT D RESISTANT THIN NITRILE COATED GLOVES
(Pack of 12)



G-FORCE ULTRA CUT C RESISTANT THIN NITRILE COATED GLOVES
(Pack of 12)



CUT D GLOVE POLYURETHANE PALM GLOVES
(Pack of 12)



BLACK KNIGHT GRIPMASTER COATED GLOVES
(Pack of 12)



RIPPA GRIPPA BLACK NITRILE COATED GLOVES
(Pack of 12)



VENTED HARD HAT RATCHET HARNESS
(White)



BRIM WITH NECK FLAP FOR HARD HAT
(Navy blue)



SUNSCREEN LOTION SPF 50+ 1L PUMP



BELL SHAPED EARPLUGS CORDED
(Pack of 100)



PACK OF 200 PAIRS

BELL SHAPED EARPLUGS UNCORDERED



PACK OF 100 PAIRS

TRADIES EARPLUGS UNCORDERED



TRAFFIC ACCESSORIES



TRAFFIC BOLLARDS
100X1150MM



TRAFFIC BOLLARD BASE
420X420MM

6kg
and
8kg



TRAFFIC CONE PVC

450mm
and
700mm



CONE BAR



ONION MESH

900mm
x 5m



**COLOURED SAFETY
FLAGGING / BUNTING**

30m or
100m



**RATCHETS AND
TIEDOWNS**




2500KG



STOP/SLOW BATON

1.8m



BARRIER MESH
ORANGE OR BLUE

1m x
50m



BARRIER TAPE
(RED AND WHITE)

75mm
x 100m



TRAFFIC SIGNS

NEW

SWING STAND AND SIGN SETS

Stand dimensions
1055mm x 1010mm

Sign dimensions
900mm x 600mm

Assorted signs
available

Available individually
or as sets



CAR PARK ACCESSORIES



WHEEL STOPS

With yellow reflective panels
1650mm long x 150mm high



BOOT CLEANER

300mm x 325mm x 155mm



ACOUSTIC CURTAINS

Acoustic Curtains or as they are otherwise known, Noise reduction barriers have become an essential element on construction projects and building sites.

Designed using world-leading acoustic technology, our noise reduction barriers are a must to help protect local communities and employees from the harmful effects of excessive noise.

Scan this QR code
to check out our
acoustic curtains






ACOUSTIC CURTAIN

STANDARD BLUE

Weight	11kg
Height	2050mm
Width	1335mm
Rating	Rw18dB Certified Sound Reduction
Fitting	Velcro and eyelets





SHADE CLOTH


Site HQ specialises in providing high quality heavy duty Shade Cloth. Whether it is for commercial or residential use we offer a wide range of colours, density options and widths.

Scan this QR code
to check out our
range of shade cloth







DENSITY RANGE




30%




50%



70%



90%



WEIGHT PER ROLL

%	1.83M X 25M ROLL	1.83M X 50M ROLL	3.66M X 50M ROLL
30%	-	8.5kg	-
50%	-	15.6kg	30kg
70%	8kg	16kg	31kg
90%	-	18.5kg	37kg



COLOUR RANGE



Sandstone

White

Black

Blue

Green



TOOLS AND ACCESSORIES

SOLD
SEPARATELY



RING FASTENER AND RINGS

ASSORTED
SIZES



PACK
OF 100

CABLE TIES

YOU MIGHT BE INTERESTED IN THESE PRODUCTS



FIRE RETARDANT SHADE CLOTH

Colour	Blue or Black
Density	50%
Rating	Tested inline with AS/NZS 1530.3:1999



WEEDMAT BLACK OR WHITE

Weight	1.8x50m 8kg / 2.1x50m 9.5kg
Length	50m roll
Durable	80gsm
Height	1.8m (White) 1.8m / 2.1m (Black)



SCAFFOLDING MESH

Width	183cm
Length	50m roll
Colour	Blue or Black
Durable	80 gsm / 35% cover factor



SIGNAGE HQ




SIGNAGE HQ


We know, every job is unique, just like your business. That's why we tailor our products to fit your specific needs! Whether you need custom sizing, colour management or expert installation, our team of experienced graphic designers can help you every step of the way.

Discover more at
signagehq.com.au



Scan this QR code to
check out our range
of signage solutions





PRINTED BANNERS



50% BLOCK OUT MESH BANNER

Maximum size	5m high x 50m long (cut to size)
Print surface	50%
Wind flow	50%
Threadcount	6x6
Weight	220gsm



65% BLOCK OUT MESH BANNER

Maximum size	5m high x 50m long (cut to size)
Print surface	65%
Wind flow	35%
Threadcount	9x9
Weight	260gsm



80% BLOCK OUT MESH BANNER


Maximum size	5m high x 50m long (cut to size)
Print surface	80%
Wind flow	20%
Threadcount	12x12
Weight	280gsm




VINYL BANNERS

VINYL COATED PRINTED BANNER

Maximum size	5m high x 20m long (made to size)
Print surface	100%
Wind flow	N/A
Weight	510gsm
Durability	Up to 5 years





CROWD CONTROL BARRIER COVERINGS



SLIP

Suited to	Standard Crowd Control Barrier		
Print surface	80%	Wind flow	20%
Weight	280gsm	Material	Polymesh
Sides	Double sided		
Finish	Velcro straps and eyelets		



BANNER

Suited to	Standard Crowd Control Barrier		
Print surface	80%	Wind flow	20%
Weight	280gsm	Material	Polymesh
Sides	Single or double sided		
Finish	Eyelets		



CORFLUTE

Suited to	Standard Crowd Control Barrier		
Print surface	100%	Wind flow	N/A
Material	Corflute (3mm or 5mm)		
Sides	Single or double sided		
Finish	Eyelets		



PRINTED BOARDS



CORFLUTE BOARD

Maximum size	1.2m x 2.4m
Thickness	3mm or 5mm
Sides	Single or double
Finish	Eyelets



ECOFLUTE BOARD

Maximum size	1.2m x 2.4m
Thickness	3mm
Sides	Single or double
Finish	Eyelets



ALUMINIUM BOARD

Maximum size	1.2m x 2.4m
Thickness	3mm
Sides	Single or double
Finish	Speak to our team



POLYPROPYLENE BOARD

Maximum size	1.2m x 2.4m
Thickness	1.4mm
Sides	Single or double
Finish	Speak to our team


PRINTED FLAGS



FEATHER FLAGS



RECTANGLE FLAGS



TEARDROP FLAGS



BASE OPTIONS

STICKERS




BUMPER STICKERS



REVERSED STICKERS



SHEETED STICKERS



CUSTOM CUT STICKERS

DISPLAY SIGNAGE



PULL UP BANNER

Range of sizes and bases to choose from, we use thick, non-curling satin film and long-lasting, tear-resistant material, to create a sharp and professional look.



MEDIA WALL

Available in the following sizes
2m x 2m, 3m x 2.3m, 4m x 2.3m,
5m x 2.3m, 6m x 2.3m



A FRAME

Available in the following sizes
600mm x 450mm, 600mm x 600mm,
600mm x 900mm, 900mm x 1200mm

CUSTOM SIGNAGE

At Signage HQ, we get that different situations call for different types of advertising. Flexibility is key for us. We have a range of custom products that can be used for marketing, brand awareness, or just getting your message out there.



GRAPHIC DESIGN

Our seasoned designers bring creativity, expertise, and attention to detail to every project. From captivating logos to stunning visuals, we ensure your brand stands out. Let us elevate your identity with our professional touch, delivering impactful designs that exceed expectations.






GROUND PROTECTION

At Site HQ, we offer durable solutions to safeguard your site's surface and prevent damage during construction, events, or heavy equipment use. Our range includes high-quality ground protection mats designed to distribute weight evenly, and provide safe access on soft or uneven ground. Ideal for protecting lawns, driveways, and sensitive surfaces, our ground protection products help keep your site clean, efficient, and compliant with safety standards.



Scan this QR code
to check out our range
of ground protection





GROUND PROTECTION MATS



GROUND PROTECTION MAT

Size	2400mm x 1200mm
Weight	36kg
Thickness	12mm
Materials	HDPE
Load rating	40t solid ground / 20t soft ground



CONNECTORS




GROUND PROTECTION MAT CONNECTOR

2 way or 4 way. Used to hold 2 or 4 mats together at the corner holes.



STICKY MATS



STICKY MAT 30 LAYERS (BLUE)

Reduce the grime and dirt that is tracked in on shoes. 30 sheet pack.



POWER AND DISTRIBUTION

At Site HQ, we provide reliable solutions for managing power on your worksite. From cable guards, to lead hooks to distribution boards, our products are designed to keep your site running smoothly and safely.



Scan this QR code
to explore our range

CABLE GUARDS



CABLE PROTECTORS
2 channel options



CABLE PROTECTORS
5 channel options

LEAD STANDS AND HOOKS



LEAD STANDS



LEAD HOOKS

OUTLETS



**HEAVY DUTY 4 OUTLET
10AMP DISTRIBUTION BOARD**

COMPLIANT
TO AUSTRALIAN
AND NEW ZEALAND
STANDARDS
AS/NZS 3190
AS/NZS 3021



**HEAVY DUTY 6 OUTLET
10AMP DISTRIBUTION BOARD**





SITE SECURITY CAMERAS

1300SiteCam strives to offer the best in Site Security services. Our Solar/Wireless Security Camera Systems monitor and protect your site and assets, with 24/7 visibility. Take control and reduce your risk of theft and crime. Whatever your site requirements, we have a camera to suit your needs, with in-ground, above ground and container mounted installation options.

Smart motion detection

Our AI motion detection technology helps you to focus on human and vehicle events. The device will only trigger an alarm when the preset intrusion type (human or vehicle) takes place and videos related to alarm events are sorted into human and vehicle categories for easier footage searches.

Warranty & certifications

Our AI motion detection technology comes with a 12 month warranty and are engineer certified to Australian Standards.



Scan this QR code
to check out our
range of cameras



ALL MODELS INCLUDE:



Solar & battery
(no power needed)



24/7 Live view
(smart phone / tablet)



Artificial intelligence
(motion detection)



Alert emails
with 3 photos & app push notifications



Telstra 4G wireless internet



Flood & strobe light
(on motion detection)



Night vision mode
(30m motion detection)



8MP wide angle camera lens



Water & dust resistant
(IP67)

PROGRAMMABLE TRIGGER ZONES


As each site has different conditions, 1300SiteCam can customize trigger detection zones to provide accurate detection of intrusion events.

COLORVU TECHNOLOGY

Our camera's feature ColorVu technology which produces colourful videos even in extremely dimly lit environments.

It's large aperture provides vivid and colourful images even in low light, prevents reflections and loss of details caused by infrared lighting and over exposure.

ColorVu





CAMERA RANGE

4K TURRET CAMERA




SINGLE TURRET

For single site applications. Provides coverage to both sides of a fence.




DETECTION & COVERAGE RANGE



DOUBLE TURRET

Ideal in narrow walkways, site entrance gates and site offices, when you need to monitor two different directions.




180° / 360° CAMERA




180° SINGLE CAMERA

For large areas and along fence lines.



360° DOUBLE CAMERA

For sites that require all-round vision.





INSTALLATION OPTIONS



IN GROUND

1 x 4m strong steel pole
1 x secure in ground spike



ABOVE GROUND

1 x 4m strong steel pivoting pole
1 x above ground, weighted modular steel base, forkliftable



CONTAINER MOUNT

1 x 1.2m extension pole
1 x anti tamper, lockable shipping container mount



ACCESSORIES AND ADD ONS



LED FLOODLIGHT

High powered LED floodlight for visibility at night. (6800LM).



DATA PLAN

Data plan & configuration p/month p/unit.



SECURITY MONITORING

1300SiteCam can provide 24/7 site monitoring.



TIME LAPSE

Photos are captured (every 30mins) and merged into a time lapse video.



SITE HQ[®]

SMART SITE SOLUTIONS

 1300 748 347  SITEHQ.COM.AU

